		7	
	Application No.	Applicant(s)	
	10/600,616	AOTA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Robert J. Canfield	3635	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>03/06/06 amendment</u> .			
2. The allowed claim(s) is/are 1-6,12-24.			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 			
2. Certified copies of the priority documents have been received in Application No. 08/820,231.			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftspers		948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ⊠ including changes required by the attached Examiner's			
(b) Ex modeling originate requires of the attached Exermine.			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
·			
Attachment(s) 1. Notice of References Cited (RTO-892)	5 Motion of Informal P	stant Application (DT)	↑ 4E0\
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa		J-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (Paper No./Mail Date	e	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>03/06/06</u> 	08), 7. ⊠ Examiner's	Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	nt of Reasons for Allo	wance
or Entregrate material.	9.		

Application/Control Number: 10/600,616

Art Unit: 3635

1. This Office action is in response to the amendment filed 03/06/06. Claims 1-6 and 12-24 are pending. Claims 7-11 have been canceled.

Page 2

- 2. Receipt of the IDS filed 03/06/06 is acknowledged. An initialed copy of the 1449 form is attached. The publication dates of JP 57-1128103 and JP 51-111925 listed on the 1449 fail to agree with those of the copies obtained by the examiner. The examiner realizes that applicant does not have to provide further copies in continuing applications. However, copies of NPL citation numbers 2, 11 and 13 have not been found and as such cannot be considered. The examiner cannot initial that he has considered these documents when copies have not been found or provided when requested.
- 3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the gap must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for

Application/Control Number: 10/600,616 Page 3

Art Unit: 3635

consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert J. Canfield whose telephone number is 571-272-6840. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on 571-272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert J Canfield Primary Examiner

Art Unit 3635